UNCLASSIFIED

AD NUMBER AD829488 LIMITATION CHANGES

TO:

Approved for public release; distribution is unlimited.

FROM:

Distribution authorized to U.S. Gov't. agencies and their contractors; Critical Technology; 10 FEB 1967. Other requests shall be referred to Assistant Chief of Staff for Force Development, Department of the Army, Washington, DC 20310. This document contains export-controlled technical data.

AUTHORITY

AGO D/A ltr, 29 Apr 1980

THIS REPORT HAS BEEN DELIMITED AND CLEARED FOR PUBLIC RELEASE UNDER DOD DIRECTIVE 5200.20 AND NO RESTRICTIONS ARE IMPOSED UPON ITS USE AND DISCLOSURE.

DISTRIBUTION STATEMENT A

APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION UNLIMITED.



DEPARTMENT OF THE ARMY OFFICE OF THE ADJUTANT GENERAL WASHINGTON, D.C. 20310



IN REPLY REFER TO

AGAM-P (M) (13 Jun 67) FOR OT

22 June 1967

JBJECT:

Operational Report - Lessons Learned, 36th Evacuation Hospital

(SMBL)

のの

(C):

SEE DISTRIBUTION

- 1. Forwarded as inclosure is Operational Report Lessons Learned, 5th Evacuation Hospital (SMBL) for quarterly period ending 31 January 367. Information contained in this report should be reviewed and valuated by CDC in accordance with paragraph 6f of AR 1-19 and by CONARC accordance with paragraph 6c and d of AR 1-19. Evaluations and corrective actions should be reported to ACSFOR OT within 90 days of receipt of covering letter.
 - 2. Information contained in this report is provided to the Commandants of the Service Schools to insure appropriate benefits in the future from lessons learned during current operations, and may be adapted for use in developing training material.

BY ORDER OF THE SECRETARY OF THE ARMY:

tenneth G. Skieklar

KENNETH G. WICKHAM

Major General, USA The Adjutant General

l Incl

DISTRIBUTION:

Commanding General

US Army Combat Development Command

US Continental Army Command

Commandants

US Army Command and General Staff College

US Army War College

US Army Air Defense School

US Army Artillery and Missile School

US Army Armor School

US Army Chemical Corps School

US Army Engineer School

US Army Military Police School

US Army Infantry School

US Army Intelligence School

US Army Medical Field Service School

STATEMENT #2 UNCLASSIFIED

(Continued on page 2)

FOR OT RD 670093 This document is subject to special export controls and each transmittal to foreign governments or foreign nationals may be made only with prior approval of Oction of Assistant Charles of State

For Force Development (FOR-OT-RD) Wash D.C. 20,310

BLANK PAGE

DISTRIBUTION (Cont'd)

US Army Ordnance School

US Army Quartermaster School

US Army Security Agency School

US Army Transportation School

US Army Signal School

US Army Special Warfare School

US Army Civil Affairs School

US Army Aviation School

Copies furnished:

Office, Chief of Staff, US Army
Deputy Chiefs of Staff
Chief of Research and Development
Assistant Chiefs of Staff
Chief of Engineers
The Surgeon General
Chief of Communications-Electronics
The Provost Marshal General
Reseach Analysis Corporation
Security Officer

Los Alamos Scientific Laboratory ational Aeronautics and Space Administration

-CCESSION for	National	Aeronautics	and	Space	Admini
CFSTI	MALLE DELINE [,			
DOC	BUFF SERTION D				
DRAMODROSS					
IUSTIFICATION.					
	9-9-99-11-0-9-1				
DISTRIBUTION	AVAILABILITY COOKS				
	MAR SHEAT SPECIAL				
		· · ••			
M.		1:01			
V:					
	المال المناف المرابية				
, less per		.111			
		Hill			

704 14 TO

This comment is subject to specify the constant of the constan

DEPARTMENT OF THE ARMY 36TH EVACUATION HOSPITAL (SMBL) APO 96291

AVCA MB-GD-EA

10 February 1967

Operational Report for Quarterly Period Ending SUBJECT:

31 January 1967, RCS CSFOR65

THRU:

Commanding Officer 68th Medical Group

APO 96491

TO:

Assistant Chief of Staff, Force Development

Department of the Army Washington D. C. 20310

SECTION I

Significant Organizational Activities

COMMAND:

- The 36th Evacuation Hospital engaged in Medical Combat support operations for 120 days of the reporting period.
- 2. LTC Paul E. Siebert became the Commanding Officer of the hospital when LTC James J. DuBois was transferred to the 68th Medical Group on 27 January 1967.
- The following idstinguished persons visited the hospital this quarter:

COL Lielam, Hq, USARV

John E. Davis, National Commander American Legion

COL Milest, Army Ha, Canberra (Australian) COL Mildred Clark, Chief, ANC, Washington D.C.

MG Bryon Steger, Chief Surgeon, Hq, USARPAC

BG James Wier, Hq, USARV COL Ray L. Miller, 44th Medical Brigade

COL Charles Wolf, Hq, USARPAC

COL George Woodsworth, Hq, 1st Log Comd IG

COL Edward O'Dell, Hq, 44th Medical Brigade

AVCA MB-GD-EA

10 February 1967
SUBJECT: Operational Report for Quarterly Period Ending

31 January 1967, RCS CSFOR65

BG George Hayes, OTSG
BG John R. Deane Jr, 173rd Abn Bde
COL R.W. Blohm, Hq, USARV
COL Paul A. Troup, Hq, 1st Log Comd
Larry Wilson, St Louis Cardinals
Don Meredith, Dallas Cowboys
Dick Bass, Los Angeles Rams
Congresswoman, Mrs. Albert Thomas, Houston, Texas

B. PERSONNEL, ADMINISTRATION, MORALE, AND DISCEPLINE:

- 1. In the months of February and March, the hospital will undergo a large turnover in personnel. In February 123 Officers and Enlisted Men will be rotating and in March 45 Officers and 13 Enlisted men will rotate.
- 2. The TO&E for personnel of the anestheia department calls for two anesthesologists and five nurse anesthestists. At present, the department has only two nurse anesthestists, two anesthesiologists, and one MD, OJT. The maximum number of tables that can be operated with complete control by the present personnel is only four.
- 3. The Medical Service professional personnel has increased by three newly assigned medical officers during this quarter. They are one 3100 and two C3139 officers. These are part of the replacements as there will be six medical officers from this service rotating to CONUS in the next quarter.
- 4. The Annual General Inspection of the hospital was conducted on 17 and 18 January. The morale and discepline was found to be "excelent."

C. INTELLIGENCE AND COUNTERINTELLIGENCE:

1. The hospital conducted no intelligence or counter-intelligence operations during this quarter.

D. PLANS, OPERATIONS, TRAINING:

1. Training is conducted throughout the hospital by the individual sections and the unit Detachment.

AVCA MB-GD-EA

SUBJECT: Operational Report for Quarterly Period Ending
31 January 1967, RCS CSFOR65

- 2. A Professional Staff Conference has been held monthly this quarter as reported in the previous quarter. A formal paper is presented dealing with surgical topics, with special attention to conditions prevelent in Vietnam. A weekly Surgical Journal Club is also held in which junior staff members summarize pertinent recent journal articles, and senior staff members guide the discussion.
- 3. The Nursing Service has a continuous orientation and education program for both professional and non-professional personnel.
- 4. A Medical Library has been established. A Vietnamese librarian has been hired and trained in basic library management.

E. LOGISTICS:

- 1. The hospital has received several of its allocated items designated in the Hospital Equipment Program for RVN, in addition to non-expendable items requested on USARV Form 12. Examples are: Anesthesia Set Endotracheal, Anesthesia apparatus, Electrocardiograph, Balkan Frames, Orthopedic Table, Foster Beds, hospital adjustable beds, Electrocardiscope, Bennett respirators, Defibrillator, flame photometer, Encore Units, Dental light, and dental operating units.
- 2. Major items yet to be received include: Slit Light, Ophthalmological Thorpe, Projector Ophthalmoligical Acuity Test, and retinoscope, Copland Cord Type. The requests for these items were forwarded to the Depot on 24 June 1966.
- 3. Availability of Medical expendable supplies is considered adequate in view of the overall supply situation. Continuous improvement is expected in this area.
- 4. Transportation of Medical supplies continues to present a problem. Supplies must be transported from Saigon either by air or boat. On many occasions, supplies have been "bumped off" for higher priority cargo and the supplies have had to be returned to the Medical Depot, to await transportation at a later date.
- 5. During the Hospital's Annual General Inspection few major deficiencies were noted in the Supply & Service Division. The vehicles in the Unit has an average deficiency of 0.82 per

AVCA MB-GD-EA

10 February 1967

SUBJECT: Operational Report for Quarterly Period Ending
31 January 1967, RCS CSFOR65

vehicle. A member of the inspector general's staff commented that this was an exceptionally low figure.

- 6. The hospital's safety program has proven to be very effective. As of this date, the hospital has had 146 accident free days.
- 7. The laundry continues to average approximately 42,000 pieces of linen per month. Laundry service is provided to the hospital and unit personnel, the 345th Medical Detachment (MA) and unit personnel, the 20th Preventive Medicine Detachment unit personnel, and 2d Field Ambulance unit (Australian).
- 8. During this quarter the laboratory had a full complement of equipment called for by the TO&E. As a result, most diagnostic work required by the hospital's physicians was done at the hospital. The decrease in work that had to be sent to Saigon resulted in more rapid information on the condition of patients. During the quarter, a flame photometer was received but has not been put into operation because of difficulties in installation and supply.
- 9. A major difficulty has been the continuing lack of steady flow of supplies. At various times the laboratory has been out of the materials necessary for bacteriology, for certain chemical tests, and even microscopic slides have been exhausted before additional stocks were received. Both the 9th Medical Lab and the 406th Mobile Lab have been of great help; both have rapidly performed tests that could not be done in this laboratory and, in addition, both have supplied materials not available through regular supply channels.
- 10. During this reporting period, X-ray added two new driers to the department. Each of the driers can dry 30 X-ray films at one time. The anesthesia department was able to obtain an electrodyne DC defibrillator.
- 11. The Food service branch continued to expand its service to the hospital. Ice, bread, and fresh vegetables have been made available, in daily deliveries, to the patients and troops. The mess has received numerous pieces of equipment, such as; an electric coffee urn, 36 dining room chairs an electric slicing machine, one prefab 600 cu ft walk in type refrigerator, a gas toaster, 7 four slice toasters for use on the wards, one electric water cooler, and one bottle type water cooler. New screens were installed and the storage area was repainted.

AVCA MB-GD-EA

10 February 1967
SUBJECT: Operational Report for Quarterly Period Ending
31 January 1967, RCS CSFOR65

F. MEDICAL SERVICE:

- 1. During the past three months there was a total of five hundred and seven medical admissions. Of the 507 admissions, 214 were diagnosed as malaria. There has been one additional case of Falciparum Malaria in US personnel from Vung Tau making a total of two cases of malaria in Vung Tau in the past 12 months.
- 2. The fevers of undetermined origin still represent a large number of our admissions. There were a total of one hundred eighteen in this period. There have ususally been self-limiting, lasting 5 to 7 days and not accompained by skin rashes. The treatment has been symptomatic. We are extremely handicapped for clinical investigations because of the lack of adequate laboratory support with reference to bacteriology, serology, and virology.
- 3. The Gastroenteritides were another large group accounting for 60 admissions. There were mild and uncomplicated cases with an average hospital stay of 3 to 6 weeks.

G. SURGICAL SERVICE:

- 1. A significant improvement in surgical ward appearance and cooling has been achieved by the completion of exterior painting of wards and operative suites reflective white. Ward personnel have completed self-help construction of storage rooms on each surgical ward, adding to the neatness and efficiency of each ward.
- 2. In late January the operating suite acquired a new Shampaine Major Operating Table, which will replace one field operating table. This will facilitate certain major operative procedures and is a welcome addition.
- 3. The intensive care and Recovery Ward now has 27 adjustable beds, which has materially reduced nursing effort and enhanced patient comfort. With the present four Balkan frames, with major combined orthopedic and theraccabdominal wounds receive ideal care.
- 4. In the past quarter, the majority of surgical IRHA patients received have been transfers from other Surgical and Evac Hospitals, rather than fresh casualtiss. Because of the nature of these patients, the return-to-duty percentage has been quite high. Over 60% of IRHA category patients

AVCA MB-GD-EA

10 February 1967
SUBJECT: Operational Report for Quarterly Period Ending
31 January 1967 RCS CSFOR65

have been returned to duty and over 80% of surgical disease injury patients have been returned to dut.

SECTION II, PART I

OBSERVATIONS (LESSONS LEARNED)

A. PERSONNEL:

1. Item: Medical Service Account

Discussion: This facility was directed to establish a MSA, effective 1 Ocotber 1066 per letter, Hq, 44th Med Bde, AVCA MB-PO, dated 23 Aug 66. This branch was confronted with the problem of training personnel to administer the MSA as the hospital TO&E did not provide for this category of personnel.

Observation: It is imperative that individuals assimed as MSA Ledger Clerks have a good working knowledge of this duty position and that they are properly supervised.

B. OPERATIONS:

1. Item: Evacuation of Patients in Bivalved Spica Cast

Discussion; Physicians in Vietnam have been laudably warned in accordance with the NATO handbook, and USARV Regulations, casts must be split prior to evacuation. Unfortunately, in the case of hip spica casts, this has been overdone. This hospital has received several patients recently in hip spica plasters which have been BIVALVED, broken, completely non-fitting, and completely without fracture immobilization. Patients have had a most uncomfortable trip, even though only for an hour or so. It is forseen that if these patients had been evacuated out of country, that they would have been extremely distressed. It is stressed, therefore, that hip spicas, (and most other plasters as well) be MONOVALVED, not BIVALVED. It is also recommended that the cast splitting reach only to mid thigh, if higher, the cast is almost sure to break (applys to hip spica only).

AVCA MB-GD-EA

SUBJECT: Operational Report for Quarterly Period Ending
31 January 1967, RCS CSFOR65

Observation: Hip spica plasters should not be bivalved prior to patient evacuation. This almost inevitably results in complete loss of immobilization.

2. Item: Patients' Trust Fund

Discussion: The facilities available at this hospital for the proper safeguarding of patients' valuables was completely inadequate for the patient load. To solve this problem a work order was submitted for the construction of a concret wall safe (vault) 6' x 3' x 7' and the instilation of security wire on the windows and door to the cashiers' cage and vault area. This work request was completed on or about 20 December 1966. The construction of the vault has now afforded the facility the adequate means to safeguard all patients'—valuables.

Observation: In order to safeguard patients valuables a secure area, seperate from the rest of the patient admission and disposition must be constructed.

C. LOGISTICS:

- 1. Item: Vitalometer FSN 6520-656-1024

Discussion; It has been found that since this item is quite fragile it has on numerous occasions broken. Incapacitation of such equipment has resulted in many inconveniences in the dental care given. It has been found that no instructions for disassembly of Vitalometer come with the item and this has greatly hampered the medical maintenance men in repairing such item.

Observation: Instructions for disassembly should be included.

2. Item: Use of locally filled Compressed Air tanks

<u>Discussion</u>: Prior to December 1966 all inhalational therapy performed at the 36th Evacuation Hospital was through the Bennett respirator powered by medical oxygen from the standard 1650 gallon 2200 PSI tanks. Each tank weighs 148 lbs and costs \$42. Shipment of tanks to Vung Tau from Saigon was either by air or barge. Normal monthly usage was 22 tanks per month, over a six month period. It is noted that in standard anesthesia machines, flows of oxygen are $1\frac{1}{2}$ to 2 liters/min while the Bennett machine expends gas at the high rate of 15 to 20 liters/min, with a 6 hour life to each tank.

AVCA MB-GD-EA

SUBJECT: Operational Report for Quarterly Period ending
31 January 1967 RCS CSFOR65

The handling and storage of medical oxygen therefore became a problem of some magnitude. On a number of occasions, medical oxygen was in short supply, necessitating curtailment of inhalational therapy, to maintain emergency supply of oxygen for the anesthesia service to perform its mission.

This problem was solved by obtaining the use of an air compressor from Post Engineers which delivers 1900 PSI of clean compressed air to a standard 1,650 gallon tank. Our unit now has the unlimited ability of function of the Bennett Respirator for extended periods of time, when when specific use of oxygen is not indicated. Four 1,650 gallon tanks have been painted black in accordance with standard color coding and are refilled as needed, markedly reducing sterage and handling problems.

For the period ending January 1967 nine compressed air tanks have been used representing a savings of 1,322 pounds shipping from Saigon to Vung Tau and a total overall round trip weight of nearly double that amount. Savings to the Government at \$42/unit is \$378, not including shipping costs.

Observation: Compressed air locally obtained, rather than medical oxygen, for inhalation therapy, unless contraindicated by the patient's medical condition may be used. This will result in a significant saving of money and valuable cargo space on aircraft.

SECTION II, PART II

RECOMMENDATIONS

A. PERSONNEL:

1. Item: Medical Equipment Repairman.

Discussion: This unit operates under authority of TO&E 8-581E which authorizes one Medical Equipment Repairman (MOS 35G20) at the present time, two (2) Medical Equipment Repairmen (MOS 35Q20) are assigned. A short course graduate is not fully qualified to perform all of the necessary maintenance on the modern equipment which this hospital is receiving.

Recommendation: That two (2) medical equipment Repairmen be authorized for an Evacuation Hospital, one

long course graduate and one short course graduate.

B. LOGISTICS:

1. Item: Marking of H type Oxygen Cylinders

Discussion: During the month of January there was one case of transitory arterial hypoxia during anesthesia when an H type oxygen cylinder was suspected (not proved) of containing compressed air.

Recommendations: It is recommended that all oxygen cylinders be dated when filled and initialed by the filling authority.

2. Item: Hot water heaters

Discussion: The presently installed hot water heater is inoperative. When in operation this system does not supply sufficient hot water at the proper temperature. The work load of the mess causes continuous operation of the heating element resulting in the element burning out in a very short period of time. This is a fuel oil fired electrically controlled heating unit. Engineers have been requested to re-evaluate the system.

Recommendations: Recommend that the enginers install a larger adequate hot water system that will supply sufficient hot water at the proper temperatures of 180° or above.

Saul & Fieler &

LTC, MC Commanding

BLANK PAGE



AVGA NB-GD-PO (10 Feb 67) 1st Ind SUBJECT: Operational Report for Quarterly Period Ending 31 Jan 6 MAR 8 1967 (RCS CSFOR-65) (36th Evacuation Hospital)

IMADQUARTERS, 68TH MEDICAL GROUP, APO 96491

TO: Commanding Officer, 44th Medical Brigado, APO 96307

- 1. Section I, A1. Correction. The 36th Evacuation Hospital ongaged in support operations for ninety-two (92) days of the reporting period.
- 2. Section IB. Action is in progress to obtain necessary replacements. The Chief Nurse, USARV, allocates ANC replacements. Other replacements will be provided as they become available.
- 3. Reference Section I, E2. The unit has been advised that the 1st Plt, 32d Medical Depot has no record of these requests and that reordering is necessary.
- 4. Reference Section II, Part I, B1. A check with the 1st Advance Plt, 32d Modical Depot revealed that full oxygen cylinders being received have a rose colored tag attached to the valve, under the valve protection cap.

TEL: Long-Binh 3326

CHARLES C PIXLEY Colonel, Medical Corps
Commanding

12

AVCA-MB-PO (10 Feb 67) 2nd Ind SUBJECT: Operational Report - Lessons Learned for Quarterly Period Ending 31 January 1967 (RCS CSFOR-65) (36th Evac Hosp)

HEADQUARTERS, 44th Medical Brigade, APO 96307, 24 February 1967

TO: Commanding General, 1st Logistical Command, ATTN: AVCA-GO-0, APO 96307

- 1. With the exception of paragraph E9, Section I, this headquarters concurs with the comments, observations, and recommendations of the basic report as modified by the previous indorsement.
- 2. Reference to Section I, paragraph E9 this headquarters does not concur in the statement that there has been a continuing lack of steady flow of supplies. There is no record of this unit requesting follow-up action on any specific item. All units have been informed that this headquarters will initiate follow-up action on any requisition, if unit will furnish named items, requisition number, and date of submission.

Lynx 382

1 Incl ORLL (dup) RAY I. MILLER Colonel, MC Commanding

087-2600

13

AVCA GO-O (10 Feb 67)

SUBJECT: Operational Report for Quarterly Period Ending 31 January
1967 (RCS CSFOR-65)

HEADQUARTERS, 1ST LOGISTICAL COMMAND, APO 96307

2 6 MAR 1967

TO: Deputy Commanding General, United States Army, Vietnam, APO 96307

- 1. The Operational Report Lessons Learned submitted by the 36th Evacuation Hospital for the quarterly period ending 31 January 1967 is forwarded herewith.
- 2. Reference paragraph B2, page 9: The hot water heater in the mess hall has been repaired. This headquarters has requested the Vung Tau Sub-Area Engineer to evaluate the present hot water heating system, and if inadequate, to prepare a project for the installation of an adequate system.
- 3. Concur with the basic report as modified by the comments contained in the preceding indorsements. The report is considered adequate.

FOR THE COMMANDER:

TEL: Lynx 430/782

Franklin E. Boring
Cpt, AGC
Asst Adjust Grant

AVHGC-DH (10 Feb 67) 4th 1nd SUBJECT: Operational Report-Lessons Learned for the Period Ending 31 January 1967 (RCS CSFOR-65)

HEADQUARTERS, UNITED STATES ARMY VIETNAM, APO San Francisco 96307 3 MAY 196/

14

TO: Commander in Chief, United States Army, Pacific, ATTN: GPOP-OT APO 96558

1. This headquarters has reviewed the Operational Report-Lessons Learned for the period ending 3! January 1967 from Headquarters, 36th Evacuation Hospital as indorsed.

2. Pertinent comments follow:

- a. Reference Paragraph B1, Pages 6 and 7, concerning bivalved spica casts: Concur with recommendation only as it applies to hip spicas. The phrase "and most other plasters as well" should be deleted. Generalizations if accepted at face value could result in surgical mismanagement.
- b. Reference Paragraph C1, Page 7, concerning instructions for assembly and disassembly of vitalometers: This headquarters has advised the unit to contact the 1st Advance Platoon, 32d Medical Depot, for required instructions and manufacturer's data. Depot is cognizant of unit's problem and will provide assistance as needed.
- c. Reference Paragraph A1, Pages 8 and 9, concerning the need for additional medical equipment repairmen: The appropriate procedure to request permanent augmentation to current authorization is by submission of MTOE in accordance with USARV Regulation 310-31. As the current DA policy necessitates space for space adjustments, all elements of each level of command should be screened for less essential trade-off spaces. Identification of such spaces and recommendations for their trade off for this requirement should be included in the MTOE submission.
- d. Reference Paragraphs B1 and B2, Page 9; Paragraph 4, 1st Indorsement; and Paragraph 2, 3d Indorsement, concerning oxygen cylinders and water heaters: Concur with comments of indorsing headquarters.
- e. Reference Paragraph F3, Page 5, concerning gastroenteri-The duration of hospitalization for these patients is three to six days, rather than three to six weeks, as stated in the basic report.

FOR THE COMMANDER:

GPOP-OT (10 Feb 67) 5th Ind SUBJECT: Operational Report-Lessons Learned for the Period Ending 31 January 1967, RCS CSFOR-65 - Hq 36th Evac Hosp (SMBL)

HQ, US ARMY, PACIFIC, APO San Francisco 96558 8 JUN 1967

TO: Assistant Chief of Staff for Force Development, Department of the Army, Washington, D. C. 20310

This headquarters concurs in the basic report as indorsed.

FOR THE COMMANDER IN CHIEF:

KOBALY CFT, AGC

Asst AG